



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/251,570	02/17/1999	JAN G.J. VAN DE WINKEL	MXI-101	3383

959 7590 04/09/2002

LAHIVE & COCKFIELD  
28 STATE STREET  
BOSTON, MA 02109

EXAMINER

DECLoux, AMY M

ART UNIT	PAPER NUMBER
----------	--------------

1644

DATE MAILED: 04/09/2002

15

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.  
09/251,570

Applicant(s)  
Van De Winkel

Examiner  
DeCloux, Amy

Art Unit  
1644



— The MAILING DATE of this communication appears on the cover sheet with the correspondence address —

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on Jan 28, 2002
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 35 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above, claim(s) 7 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-6 and 8-21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claims \_\_\_\_\_ are subject to restriction and/or election requirements.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are objected to by the Examiner.
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. § 119

- 13) ☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).
- a) ☐ All b) ☐ Some\* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \*See the attached detailed Office action for a list of the certified copies not received.
- 14) ☒ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

## Attachment(s)

- 15) ☒ Notice of References Cited (PTO-892)
- 16) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 17) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s). \_\_\_\_\_
- 18) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 19) ☐ Notice of Informal Patent Application (PTO-152)
- 20) ☐ Other: \_\_\_\_\_

### DETAILED ACTION

1. The request filed 1-28-02 (Paper No. 13) for a continued Prosecution Application (CPA) under 37 CFR 1.53.(d) based on parent application No. 09/251,570, filed 2-17-99, is acceptable and a CPA has been established. An action on the CPA follows.

2. Applicant's preliminary amendment, filed 1-28-02 (Paper No. 14 ), is acknowledged.

Claims 1-21 are pending.

A restriction was required under 35 USC 121 in the parent application, Paper No. 5, mailed 3/31/00 between (one of the following groups):

Restriction to one of the following inventions is required under 35 U.S.C. § 121:

I. Claims 1-21, drawn to a method of selectively reducing the number or activity of macrophages comprising contacting the macrophages with an agent which binds to an Fc receptor, classified in Class 424, subclasses 144.1 and 184.1,

II. Claims 22-25, drawn to a method of diagnosing a disease characterized by aberrant numbers or activity of macrophages, classified in Class 435, subclasses 7.2 and 7.1.

Applicant elected of Group I, claims 1-21, mailed 4/28/00 in Paper No. 6 and election of species FcgRI and psoriasis, by phone on May 9, 2000 . In view of the cancellation of claims 22-25, only the species restriction requirement is hereby reiterated. Accordingly, Claim 7 is withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species, there being no allowable generic or linking claim.

Applicant's arguments filed 1-28-02(Paper No. 14), have been fully considered but they are not persuasive for the reason set forth following each of the maintained rejections.

3. The following is a quotation of the first paragraph of 35 U.S.C. § 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. MAINTAINED Claims 2-6, 8-12 and 19-21 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

The instant claims are drawn a method of preventing a disease in a subject characterized by aberrant activity or number of macrophages , comprising administering an agent that binds to an Fc receptor and kills or reduces the activity of macrophages. However, the specification does not enable one of skill in the art regarding the prevention of said disease, because the specification does not enable one of skill in the art regarding the efficacy of administering in vivo, the recited macrophage binding compound in said method of preventing a disease characterized by aberrant activity or number of macrophages. The efficacy of the claimed methods is not adequately taught by the specification because it does not teach how to extrapolate data obtained from experiments using the claimed methods to treat said diseases to the development of the claimed methods to prevent said diseases, especially in view of the large number of diseases encompassed by the recited claims which may have multiple causes or origins.

Based upon the paucity of additional information supportive of the recited methods in the prevention of said macrophage related diseases within the instant specification, it would require an undue amount of experimentation on the part of one skilled in the art to practice the claimed method.

5. Applicants traverse the 112 1st rejection on the grounds that the claims encompass diseases characterized by aberrant activity or number of macrophages within a selected tissue area of a subject, and that this does not cover an undue number of diseases but rather a subset of diseases which have a common cause or origin. Applicants also point to claim 21 as reciting a particular subset of such diseases. One disease recited in said claim is the elected species psoriasis.

However, the examiner notes that the National Psoriasis Foundation states on its website <http://www.psoriasis.org/b500.htm> of 4-7-02 that "No one knows exactly what causes psoriasis". Without a known cause for a disease, prevention of said disease is not enabled.

Applicant contends that there is a nexus between the data provided for chronic skin disease and other diseases caused by aberrant macrophage activity and/or numbers and the skilled artisan would recognize that applicant's results are appropriately extrapolated to such diseases. Since the cause of psoriasis is not known(see above paragraph) it is not clear how a nexus can be formed.

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. § 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.  
(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. MAINTAINED Claims 1-6 are rejected under 35 U.S.C. 102(a) as being anticipated by Curnow, R.T. ( Cancer Immunol Immunother. 45:210-215, 1997), as evidenced by Graziano et al (J. Immunol. 155:4996-5002, 1995) .

Curnow, R.T. teaches that mabH22 (which they call MDX-33), binds circulating monocytes causing monocytopenia and down modulates CD64 (FcγRI) on monocytes, and that the activity of phagocytosis is fully inhibited for at least 6 days after invivo administration of mabH22 which indicates its importance in the treatment of autoimmune disorders, including ITP which is characterized by platelet destruction by CD64 bearing monocytes and macrophages which express FcγR (see entire article, especially page 210, column 1, lines 12-14, and column 2, lines 27-29, and page 211, column 1, lines 6-18 and page 213, column 2, second full paragraph).

Graziano et al teach that mabs 22 and 32 bind the FcγRI receptor with their Fv at sites that are distinct from the Fc binding site, and that the humanization of monoclonal antibody 22 eliminates immunogenicity (see entire article including third paragraph of page 4996) and represents an important step in the development of anti-FcγRI-based molecules for the treatment of human diseases (see entire article including the last paragraph the article). The rejection is made on the basis that the mabH22 itself has the function of agents a) and b) recited in the claims.

Therefore, the reference teachings anticipate the claimed invention.

8. Applicants traverse the 102(a) rejection on the grounds that Curnow teaches that mabH22 binds to circulating monocytes and that Curnow fails to teach treatment of non-circulatory and/or macrophage-mediated disease caused by an aberrant number or activity of macrophages within a selected tissue of the subject.

However the examiner notes that Curnow teaches that ITP is characterized by platelet destruction by CD64 bearing macrophages as well as monocytes and that mabH22 binds macrophages which express CD64 (see rejection of record).

Applicants further contends that the mab H22 taught by Curnow is only administered to the circulatory system where monocytes exist, not to selected areas of tissue where macrophage resides.

The examiner notes that the specification discloses on page 37 the term selected area refers to any selected sample of tissue or cells which contain or may contain macrophages. The examiner also notes that Stedman's Medical Dictionary 27th Edition defines tissue as: A collection of similar cells and the intercellular

substances surrounding them, and that there are four basic tissues in the body: 1) epithelium; 2) connective tissues, including blood, bone, and cartilage; 3) muscle tissue; and 4) nerve tissue. Janeway (Immunobiology 3rd Edition, 1997, page G:14) teaches that macrophages are migratory cells found in most tissues of the body. Therefore, contrary to applicant's arguments, administration of the mab taught by Curnow into the circulatory system would contact macrophages in a tissue, absent evidence to the contrary.

Applicant contends that Curnow's teachings do not anticipate the claimed method. However, the referenced administration of the referenced antibody meets the claim limitations because said administration has the inherent properties of reducing the number or activity of macrophages. Mere recognition of latent properties in the prior art does not render nonobvious an otherwise known invention. In re Wiseman, 201 USPQ 658 (CCPA 1979). Granting a patent on the discovery of an unknown but inherent function would remove from the public that which is in the public domain by virtue of its inclusion in, or obviousness from, the prior art. In re Baxter Travenol Labs, 21 USPQ2d 1281 (Fed. Cir. 1991). See M.P.E.P. 2145.

9. Claims 1-6 and 18 are rejected under 35 U.S.C. 102(b) as being anticipated by Erickson et al ( British Journal of Haematology, 92:718-724, 1996).

Erickson et al teach mab197 binds the FcγRI by its fab region to a nonligand binding domain of FcγRI as well as by its fc region and that it can effectively crosslink FcγRI on the surface of the human U-937 human monocyte-like cell line resulting in receptor activation and modulation and that down modulation of FcγRI on circulating monocytes occurs in vivo after infusion of murine mab 197 in ITP patients, (see entire article, especially page 722, second paragraph of the discussion, and last paragraph of page 723). Erickson et al also teaches ITP is characterized by destruction of immunoglobulin coated platelets by mononuclear phagocytes and that macrophages are thought to be the major effectors in platelet destruction in ITP, and that the patient showed major clinical improvement after the first mab infusion (see entire article especially page 718, first paragraph, page 719, first full paragraph, and page 722, column 2, third full paragraph). Therefore, the reference teachings anticipate the claimed invention.

Erickson et al also teach that treatment of the human monocyte cell line U-937 with mab 197 has been shown to result in rapid internalization of FcγR1 (see entire article, including page 720, last paragraph of column 1) thus reducing the activity of the macrophages like cell line. The rejection is made on the basis that the mab197 itself has the function of agents a) and b) recited in the claims. Therefore, the reference teachings anticipate the claimed invention.

10. Applicants traverse the 102(b) rejection on the grounds that Erickson fail to teach or test the particular use for their monoclonal antibody, let alone the use of a composition that contains both an agent that can bind a macrophage and an agent that

can reduce the number or activity of a macrophage.

However the examiner notes that the rejection is made on the basis that the mabH97 itself has the function of agents a) and b) recited in the claims. Also the examiner notes that the rejection of record states that Erickson et al also teaches ITP is characterized by destruction of immunoglobulin coated platelets by mononuclear phagocytes and that macrophages are thought to be the major effectors in platelet destruction in ITP.

Applicants further contends that the antibody taught by Erickson is only administered to the peripheral blood mononucleocytes, that is circulating monocytes, not to selected areas of tissue where macrophage resides.

The examiner notes that the specification discloses on page 37 the term selected area refers to any selected sample of tissue or cells which contain or may contain macrophages. The examiner also notes that Stedman's Medical Dictionary 27th Edition defines tissue as: A collection of similar cells and the intercellular substances surrounding them, And that there are four basic tissues in the body: 1) epithelium; 2) connective tissues, including blood, bone, and cartilage; 3) muscle tissue; and 4) nerve tissue. Janeway (Immunobiology 3rd Edition, 1997, page G:14) teaches that macrophages are migratory cells found in most tissues of the body. Therefore, contrary to applicant's arguments, administration of the mab taught by Erickson into the circulatory system would contact macrophages in a tissue, absent evidence to the contrary.

Applicant contends that Erickson's teachings do not anticipate the claimed method. However, the referenced administration of the referenced antibody meets the claim limitations because said administration has the inherent properties of reducing the number or activity of macrophages. Mere recognition of latent properties in the prior art does not render nonobvious an otherwise known invention. In re Wiseman, 201 USPQ 658 (CCPA 1979). Granting a patent on the discovery of an unknown but inherent function would remove from the public that which is in the public domain by virtue of its inclusion in, or obviousness from, the prior art. In re Baxter Travenol Labs, 21 USPQ2d 1281 (Fed. Cir. 1991). See M.P.E.P. 2145.

The examiner refers the applicant to the reasons applied to Curnow above.

11. The following is a quotation of 35 U.S.C. § 103 which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made. Subject matter developed by another person, which qualifies as prior art only under *subsection (f) or (g) of section 102* of this title, shall not preclude patentability under this section where the subject matter and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person.

12. Claims 1-2, 8-12 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curnow, R.T. ( Cancer Immunol Immunother. 45:210-215, 1997), Graziano et al (J. Immunol. 155:4996-5002, 1995) and Erickson et al ( British Journal of Haematology, 92:718-724, 1996), in view of Uhr et al (U.S. Patent No. 5686072) Ghetie et al (U.S. Patent No. 5578706 ), Rybak et al (U.S. Patent No. 5840840), Pastan et al (U.S. Patent 5489525 ), and Bjerke et al (ACTA Derm Venereol (Stockh) 1994; Suppl.186:141-142).

Graziano et al teach as above.

Erickson et al teach as above.

Curnow teaches as above.

Uhr et al teach various ricin A chain-containing anti-CD19 and anti-CD22 immunotoxins to be potentially useful reagents for the clinical treatment of human B cell leukemias and lymphomas and the use of modified components in immunotoxin, such as Fab' antibody fragments and deglycosylated ricin A chain (dgA), has also been investigated (see entire patent, especially column 4, lines 39-64).

Ghetie et al also teach the toxin moiety of the immunotoxin may be any one of a variety of toxins that are commonly employed in the art include, for example, gelonin and saporin and ricin A chain, and most preferably, deglycosylated ricin A chain, (see entire patent, especially column 7, lines 21-27).

Rybak et al teach the use of an RNase protein (preferably, a mammalian protein) as a toxic moiety in a directed cytotoxin and that some members of the RNase A superfamily: include onconase. Cytotoxic reagents of the present invention comprise a protein and recognition moiety of specific binding with a chosen cell surface marker, (see entire patent, especially column 7, lines 30-36).

Pastan teaches cytotoxic binding proteins of the invention are produced by fusing a cytotoxic domain and antigen binding domain derived from monoclonal antibodies. A variety of cytotoxic molecules are suitable for use as the cytotoxic domain in the immunotoxins described here including Pseudomonas exotoxin A (PE), (see entire patent, especially column 8, lines 10-25).

Bjerke et al teach that highly active psoriatic lesions showed highest reactivity with FcRgI monoclonal antibodies and the number of FCR positive cells decreased in correlation to the improvement following therapy (see entire article, especially the first paragraph of the Results section and the Abstract)

Therefore, it would have been obvious to one of skill in the art at the time the invention was made to have combined the immunotoxin technology taught by Vitetta,



Rybak and Pastan which comprises an antibody or antibody fragment thereof that binds to FcγRI as taught by Erickson, Graziano and Curnow linked to a toxin as taught by Vitetta, Rybak and Pastan because said immunotoxin will bind to an FcγRI receptor and kill or reduce the activity of FcγRI bearing macrophages. Furthermore it would have been obvious to one of skill in the art at the time the invention was made to have used said immunotoxin in treating or preventing a disease characterized by an aberrant activity or number of macrophages, such as psoriasis or ITP as taught by Bjerke et al and Curnow et al., respectively, since reducing the number and or activity of macrophages in a macrophage mediated disease should be effective treatment. Furthermore it would have been obvious to one of skill in the art at the time the invention was made to have used the mabs 22, 32 and 197, since Erickson, Graziano and Curnow teach these monoclonal antibodies can bind the FcγRI at a site which is not bound by an endogenous immunoglobulin, and therefore would not interfere with normal Ig mediated uptake of said macrophages. Furthermore it would have been obvious to one of skill in the art at the time the invention was made to have humanized the mabs 22, 32 and 197, since Graziano et al teach that the humanization of the monoclonal antibody 22 reduces or eliminates immunogenicity (and would similarly apply to the humanization of monoclonal antibodies 32 and 97) and is an important step in the development of anti-FcγRI-based molecules for the treatment of human diseases. Furthermore it would have been obvious to one of skill in the art at the time the invention was made to have used as the toxin part of the immunotoxin, any one of the toxins Gelonin, Saporin, Exotoxin A, Onconase, and Ricin A, since Vitetta, Rybak and Pastan teach that these toxins would be effective in an immunotoxin.

From the combined teachings of the references, it is apparent that one of ordinary skill in the art would have had a reasonable expectation of success in producing the claimed invention. Therefore, the invention as a whole would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made, as evidenced by the references, especially in the absence of evidence to the contrary.

13. Applicants traverse the 103(a) rejection *supra*, on the grounds that none of the cited references teach or suggest the treatment of such macrophage-mediated disorders which exist within a localized area of tissue as opposed to the circulatory system, let alone in the manner taught by applicants.

However, the examiner notes that the instant claims do not recite "within a localized area of tissue".

Applicant contends as discussed above, that Curnow, Grazian and Ericson teach methods of targeting circulating monocytes, not macrophages which reside in selected tissue areas as claimed by applicant.

However, the examiner points out that a) said teachings of Curnow, Grazian and Ericson are not limited to monocytes but also include macrophages as discussed *supra*, and b) that the circulatory system contains connective tissue.

Applicant contends that Applicant was the first to recognize that certain diseases

such as skin diseases and other autoimmune diseases are primarily caused by aberrant activity and/or numbers of macrophages within a localized area of tissue.

However, mere recognition of latent properties in the prior art does not render nonobvious an otherwise known invention. In re Wiseman, 201 USPQ 658 (CCPA 1979). Granting a patent on the discovery of an unknown but inherent function would remove from the public that which is in the public domain by virtue of its inclusion in, or obviousness from, the prior art. In re Baxter Travenol Labs, 21 USPQ2d 1281 (Fed. Cir. 1991). See M.P.E.P. 2145.

Further the examiner notes that Janeway et al (Immunobiology 3rd Edition, 1997) teaches that that anto-inflammatory therapy can reduce tissue injury caused by an inflammatory autoimmune response, see page 13<sup>9</sup>, and that macrophages are inflammatory cell see page 1:12, and that macrophages are important many immune responses including in innate immunity, as antigen presenting cells, and as effector cells in humoral and cell mediated immunity, and that macrophage activation causes damage to neighboring tissues, see page G:14.

14. Claims 1 and 13-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curnow, R.T. ( Cancer Immunol Immunother. 45:210-215, 1997), Graziano et al (J. Immunol. 155:4996-5002, 1995), and Erickson et al ( British Journal of Haematology, 92:718-724, 1996), in view of McGrath et al (U.S. Patent No. 5580715), Estis et al (U.S. Patent No. 5026557), Rodwell et al (U.S. Patent 4671958), Lifson et al (U.S. Patent 4869903), and Bagshawe (U.S. Patent 5658568).

McGrath et al teaches the following; a method that features a liposome preparation containing within the liposome macrophage-specific cytotoxin or a broad-spectrum cytotoxic agent for the uptake of the cytotoxin-containing liposome preferentially by a macrophage. Targeting of the cytotoxin-containing liposome to a macrophage provides specificity of delivery and increased uptake. Targeting is accomplished by incorporation or attachment of a macrophage-specific antibody such as anti-CD14 to the liposome. Appropriate lipids and other agents and methods for the preparation of therapeutic liposomes are well known in the art, (see entire patent, especially column 6, lines 66-67 and column 6, lines 1-15).

Estis al teach that liposomes carrying CL2MDP, by referring to the reference Claassen, E. et al., "Immunomodulation with Liposomes: the Immune Response Elicited by Liposomes with Entrapped Dichloromethylene-Diphosphonate and Surface-Associated Antigen or Hapten", Immunol., 60:509-515 (1987), (see entire patent, especially column 1).

Rodwell et al teach liposome mediated delivery of pharmaceutical agents and that whether or not liposomes are coated with antibody molecules, liposomes are readily phagocytosed by macrophages and removed from circulation before reaching other target sites, (see entire patent, especially column 19, lines 35-38).

Liffson et al teach that a protein may be administered in a liposome-encapsulated form, and attached to a carrier, such as an anti-T cell, anti-macrophage, or anti-HIV antibody, for targeting the protein to HIV-injectable or infected cells, (see entire patent, especially column 7, lines 32-37).

Bagshawe teaches the advantages of using antibody fragments, rather than whole antibodies, are several-fold, including the smaller size of the fragments that may lead to improved pharmacological properties, such as better penetration of solid tissue, and effector functions of whole antibodies, such as complement binding, are removed, and Fab, Fv, ScFv antibody fragments can all be expressed in and secreted from E. coli, thus allowing the facile production of large amounts of the said fragments, (see entire patent, especially column 4, lines 1-19).

Therefore, it would have been obvious to one of skill in the art at the time the invention was made to have combined the macrophage binding monoclonal antibody compounds taught by Erickson, Graziano and Curnow within a liposome in the claimed method because said compounds bind macrophages as taught by Erickson, Graziano and Curnow and discussed supra, and because Liffson et al teach that a protein may be administered in a liposome-encapsulated form, and antibodies are proteins and because Rodwell et al teaches that liposomes are readily phagocytosed by macrophages. Furthermore it would have been obvious to one of skill in the art at the time the invention was made to have used a single chain antibody, or fragment thereof of the FcγRI binding monoclonal antibodies taught by Erickson, Graziano and Curnow since Bagshawe teaches the advantages of using antibody fragments including improved pharmacological properties. Furthermore it would have been obvious to one of skill in the art at the time the invention was made to have combined the cytotoxic agent CL2MDP in a liposome in the claimed method because Estis al teach that liposomes can carrying CL2MDP and because McGrath et al teaches a method that features a liposome preparation containing within the liposome macrophage-specific cytotoxin or a broad-spectrum cytotoxic agent for the uptake of the cytotoxin-containing liposome preferentially by a macrophage and that methods for the preparation of therapeutic liposomes are well known in the art .

From the combined teachings of the references, it is apparent that one of ordinary skill in the art would have had a reasonable expectation of success in producing the claimed invention. Therefore, the invention as a whole would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made, as evidenced by the references, especially in the absence of evidence to the contrary.

15. Applicants traverse the 103(a) rejection supra, on the grounds that as discussed above, that Curnow, Grazian and Ericson teach methods of targeting circulating monocytes, not macrophages which reside in selected tissue areas as claimed by applicant.

However, the examiner points out that a) said teachings of Curnow, Grazian and

Ericson are not limited to monocytes but also include macrophages as discussed supra, and b) that the circulatory system contains connective tissue.

The arguments made by applicant are essentially the same as those made for the 130 rejection supra. And the examiner's rebuttal is essentially the same as discussed supra.

16. No claim is allowed.

17. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy DeCloux whose telephone number is (703) 306-5821. The examiner can normally be reached Monday through Friday from 9:00 am to 6:00 pm. A message may be left on the examiner's voice mail service. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Chan can be reached on (703) 308-3973. Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 1600 receptionist whose telephone number is (703) 308-0196.

Papers related to this application may be submitted to Technology Center 1600 by facsimile transmission. Papers should be faxed to Technology Center 1600 via the PTO Fax Center located in Crystal Mall 1. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The CM1 Fax Center telephone number is (703) 305-3014.

Amy DeCloux, Ph.D.  
Patent Examiner,  
Group 1640, Technology Center 1600  
April 8, 2002

*Amy DeCloux 4-8-02*